

POSTERS

Poster 1: August 27, 2012

Apoptosis and necrosis

- P1-1 Protective effects of salidroside and its analogues against neuronal damage and underlying mechanisms**
Shu Yu (Nantong, China)
- P1-2 Nrf2 activated by tBHQ pretreatment confers protection against arsenic-induced oxidative stress in mouse pancreatic β -cell**
Bei Yang (Shenyang, China)
- P1-3 Polyamine bodies: effect of anticancer drugs on polyamine localization**
Masashi Shin (Kumamoto, Japan)
- P1-4 Two structural similar Type I ribosome-inactivating proteins showed different *in vivo* and *in vitro* toxic mechanisms**
Ou Sha (Shenzhen, China)
- P1-5 Comparison of the effects of RAS blockers on apoptosis regulatory proteins in experimental diabetic nephropathy**
Melek Öztürk (Istanbul, Turkey)
- P1-6 The role of estrogen on histomorphological changes in rat submandibular gland after menopause**
Alev Cumbul (Istanbul, Turkey)
- P1-7 The role of estrogen on apoptotic changes in rat parotid gland after menopause**
Unal Uslu (Istanbul, Turkey)
- P1-8 The effects of bevacizumab on retinal ischemia and reperfusion injury**
Unal Uslu (Istanbul, Turkey)
- P1-9 The relationship between ischemic preconditioning and apoptosis in ischemia/reperfusion injury in the diabetic heart**
Ebru Gurel (Istanbul, Turkey)
- P1-10 Effect of zonisamide on apoptosis-related factors formed during iron-induced epileptogenesis in rat brain**
Yoshihiro Higuchi (Suzuka, Japan)
- P1-11 Single-prolonged stress induces dysfunction of Ca^{2+} /CaM kinase II α cascade and changes of caspase-3 and 9 in mPFC in a rat model of posttraumatic stress disorder (PTSD)**
Fang Han (Shenyang, China)

Autophagy

- P1-12 Immunohistochemistry of programmed cell death in archival human pathology specimens**
Kazuhiisa Hasui (Kagoshima, Japan)
- P1-13 p62/SQSTM1-dependent autophagy of Lewy body-like α -synuclein inclusions**
Masaki Tanaka (Kyoto, Japan)
- P1-14 Ezetimibe activates autophagy in hepatocytes by perturbing cholesterol trafficking**
Yuki Ohsaki (Nagoya, Japan)

Stem cell biology

- P1-15 CD44 variant regulates Wnt signal under oxidative stress**
Go J. Yoshida (Tokyo, Japan)
- P1-16 Cell cycle analysis of neural precursors in the adult mouse subventricular zone**
Tetsuji Mori (Moriguchi, Japan)
- P1-17 Activin B promotes BM-MS-C-mediated cutaneous wound healing by regulating cell migration via the JNK-ERK signaling pathway**
Lin Zhang (Guangzhou, China)
- P1-18 Stem cells in uteri lipoleiomas**
Natalia V. Nizyaeva (Moscow, Russia)

POSTERS

Poster 1: August 27, 2012

Germ cell biology and reproduction system

- P1-19 The Influence on the expression of Cx43 about FSH interpose in the different stage of vitrification of mouse ovary**
Yanrong Wang (Yinchuan, China)
- P1-20 Age-related accumulation of non-heme ferric and ferrous iron in mouse ovarian stroma visualized by sensitive non-heme iron histochemistry**
Yoshiya Asano (Hirosaki, Japan)
- P1-21 Mitochondrion-dependent apoptosis pathway is involved in granulosa cell apoptosis which regulates follicular atresia in saws**
Noboru Manabe (Kasama, Japan)
- P1-22 Histochemical and morphological markers of aggressive behavior of deep interstitial endometriosis**
Evguenia A. Kogan (Moscow, Russia)
- P1-23 Expression of several nuage proteins in spermatogenic cells and spermatozoa of rat**
Sadaki Yokota (Sasebo, Japan)
- P1-24 Down-regulation of *Col1a1* induces differentiation in mouse spermatogonia**
Sunhong Chen (Shanghai, China)
- P1-25 Spermatogenic cell death in aquaporin-11 knockout mouse testes**
Tatsuya Fukui (Kumamoto, Japan)
- P1-26 Glycohistochemical and immunohistochemical markers for mouse epididymal cells**
Kana Murakami (Kumamoto, Japan)
- P1-27 Stage-specific activity of exocytosis and endocytosis in germ cells during spermatogenesis in rats**
Masato Komuro (Ootawara, Japan)
- P1-28 Differentiation-dependent changes of histone H3 modifications in mouse spermatogenesis**
Ning Song (Nagasaki, Japan)
- P1-29 Overexpression of myelin protein zero-like 2 in spermatocytes of cell adhesion molecule-1-deficient mice**
Hiroki Nakata (Kanazawa, Japan)
- P1-30 Sertoli cell-specific deletion of the hepatocyte growth factor receptor leads to impaired spermatogenesis and male infertility**
Tomohiko Wakayama (Kanazawa, Japan)
- P1-31 Expression of p21-activated kinase family members in the mouse reproductive organs**
Caixia Ren (Beijing, China)
- P1-32 Age-related changes of the wave of the seminiferous epithelium of rodent testes and effects of EDS and testosterone administration**
Akihiko Kudo (Mitaka, Japan)

Development and malmorphogenesis

- P1-33 Spatiotemporal expression of Tbx18 during endochondral bone formation**
Ryuma Haraguchi (Toon, Japan)
- P1-34 Immunohistochemical localization of Nox1 and Nox4 in mouse femur during endochondral ossification**
Kimi Haru Ambe (Koriyama, Japan)
- P1-35 Fetal lung vascular progenitor cells exhibit endothelial/mesenchymal plasticity**
Yasutoshi Yamamoto (Kyoto, Japan)
- P1-36 Pattern formation of alveolar bone process during mice embryogenesis**
Byung-Jin Han (Daegu, Korea)
- P1-37 Molecular and cellular dissections of patterned palatal rugae formation during mice embryogenesis**
Wern-Joo Sohn (Daegu, Korea)

POSTERS

Poster 1: August 27, 2012

- P1-38 Brain regions activated by maternal separation in the developing mouse: c-Fos expression after acute and repeated separation**
Takayo Sasagawa (Nara, Japan)

Glycobiology

- P1-39 Enhanced expression of sulfatide, a sulfated glycolipid, in uterine cervical adenocarcinomas**
Masaki Miyazawa (Isehara, Japan)

ECM and connective tissue biology

- P1-40 Localization of type II and type III collagens in the mucosa of the rat tongue during the morphogenesis of lingual papillae**
Shin-ichi Iwasaki (Niigata, Japan)
- P1-41 Possible to change epithelial phenotype and composition of basement membrane to cornea like in limbus stem cell deficiency model**
Sumako Kameishi (Tokyo, Japan)
- P1-42 Expressions of type XV collagen in human livers and hepatocellular carcinomas**
Kouji Kimura (Okayama, Japan)
- P1-43 Immunohistochemical and molecular markers of uterine scar dehiscence in women with undifferentiated connective tissue dysplasia**
Tatiana A. Demura (Moscow, Russia)
- P1-44 Novel basement membrane components expressed at the cell-tooth interface**
Rima-Marie Wazen (Montreal, Canada)
- P1-45 Demonstration of contraction-band formation by multiphoton excitation-evoked CALI in heart muscle cells**
Mayako Takahashi (Kyoto, Japan)
- P1-46 Heparan sulfate synthesis enzymes are distributed across the Golgi apparatus**
Hinke A.B. Multhaupt (Copenhagen, Denmark)

Cancer science

- P1-47 Evaluation of anti-angiogenic therapy on the effects of VEGF and NOS pathway in breast cancer cell line**
Fatma Karaca (Manisa, Turkey)
- P1-48 MicroRNA-203 inhibits breast cancer cell migration via an EMT mechanism by targeting slug**
Shuai Li (Beijing, China)
- P1-49 Expression of ARHGAP15 in human breast carcinoma**
Kiyoshi Takagi (Sendai, Japan)
- P1-50 Phosphorylation of mitogen-activated protein kinase (MAPK) and driver mutations in non-small cell lung carcinoma**
Yoko Nakanishi (Tokyo, Japan)
- P1-51 Significance of Notch signaling in biology and pathology of lung carcinoma cell lines**
Wael Hassan (Kumamoto, Japan)
- P1-52 The effects of As₂O₃ to biological characteristics of esophageal cancer cells TE-1**
Xiaoling Mu (Xinjiang, China)
- P1-53 Anticancer activity of curcumin: An in vitro study using human esophageal carcinoma cells**
Li Li (Shijiazhuang, China)
- P1-54 Photo-dynamic diagnosis of lymph node metastasis in esophageal cancer**
Masatomo Beika (Kyoto, Japan)
- P1-55 Expression of the SATB1 gene is down-regulated in colorectal cancer**
Zbigniew Kmiec (Gdansk, Poland)
- P1-56 In situ visualization of estrogen receptor dimers using Proximity Ligation Assay**
Erina Iwabuchi (Sendai, Japan)

POSTERS

Poster 1: August 27, 2012

- P1-57 DNA mismatch repair protein MSH6 correlated with the responses of atypical pituitary adenomas and pituitary carcinomas to temozolomide: The national cooperative study by the Japan Society for Hypothalamic and Pituitary Tumors**
Toshio Hirohata (Tokyo, Japan)
- P1-58 Evaluation for ductal phenotype of mouse pancreatic ductal adenocarcinoma (PDAC) and the immortalized pancreatic ductal cells**
Takashi Yamaguchi (Tsukuba, Japan)
- P1-59 Clinical correlations of *GNAS* gene expression and *GNAS*-related *GS α* protein expression in epithelial ovarian cancer**
Eiichiro Tominaga (Tokyo, Japan)
- P1-60 Kindlin-2 regulates cell death in prostate cancer cells**
Yu Yu (Beijing, China)
- P1-61 Role of an integrin-interacting protein in the control of EMT in cancer and fibrosis**
Hongquan Zhang (Beijing, China)
- P1-62 Three-dimensional visualization of tumor microenvironment based on multiplex-immunolabeled color images of serial histological sections**
Yoshihito Shimazu (Tokyo, Japan)
- P1-63 Development of a new cancer therapy by the Ultra Violet C (UVC) pulse flash irradiation**
Johbu Itoh (Isehara, Japan)
- P1-64 Evaluated electron microscopic study of neoplastic cells by the Ultra Violet C (UVC) pulse flash irradiation**
Yoshiko Itoh (Isehara, Japan)
- P1-65 Transplanting normal endothelial cells to tumor-bearing mice triggers vascular remodeling and reduces tumor volume**
Shuji Kitahara (Tokyo, Japan)
- P1-66 Hsc70 plays a novel role in Cx43-mediated tumor suppression**
Tomoya Hatakeyama (Kyoto, Japan)
- P1-67 Reduction of cell invasion and migration in osteosarcoma by minodronic acid**
Masanobu Tsubaki (Higashi-Osaka, Japan)

Virtual microscopy

- P1-68 An automatic detection method of tumor areas in digital tissue images by a topological invariant**
Kazuaki Nakane (Suita, Japan)

Endocrine system

- P1-69 Functional molecular morphology of pituitary cells, from conventional immunohistochemistry to fluorescein imaging**
Akira Matsuno (Ichihara, Japan)
- P1-70 Localization of *SCGB3A2/UGRP1* in mouse pituitary glands**
Yuki Miyano (Yonezawa, Japan)
- P1-71 A mechanism of acquiring temozolomide resistance during transformation of atypical prolactinoma into prolactin-producing pituitary carcinoma**
Mineko Murakami (Ichihara, Japan)
- P1-72 Analyses of factors influencing the acute effect of octreotide in growth hormone-secreting adenomas**
Shiho Ishibashi (Chiba, Japan)
- P1-73 Identification of a novel interactor of human growth hormone**
Akiko Mizutani (Ichihara, Japan)
- P1-74 The effect of PRL derived vasoinhibin in mammary cell proliferation and apoptosis in mice**
Tsukasa Watanabe (Kawasaki, Japan)

POSTERS

Poster 1: August 27, 2012

- P1-75 Immunohistochemical analysis of kisspeptin inputs to hypothalamic tuberoinfundibular dopaminergic neurons from neonate to puberty in female rats**
Kinuyo Iwata (Tokyo, Japan)
- P1-76 Kisspeptin regulates tuberoinfundibular dopamine neurons in the hypothalamus**
Norio Iijima (Tokyo, Japan)
- P1-77 Detection of RANKL mRNA in osteolytic bone lesions**
Riko Kitazawa (Toon, Japan)
- P1-78 Bisphosphonate-induced enhancement of OPG expression and inhibition of CD9, M-CSF, and RANKL expressions in mouse bone marrow stromal cell line ST2**
Makiko Komai (Higashi-Osaka, Japan)
- P1-79 Expression of leukotrienes receptors protein in the inflamed porcine uterus**
Barbara Jana (Olsztyn, Poland)

Respiratory system

- P1-80 Imaging of microvascular blood flow with quantum dots in living mouse lungs of initial cancer metastasis by “in vivo cryotechnique”**
Yurika Saitoh (Chuo, Japan)
- P1-81 Mutant epidermal growth factor receptor reduces expression of Notch receptors and modifies lung epithelial differentiation**
Koki Hasegawa (Kumamoto, Japan)
- P1-82 Significance of stat3-Hes1 system in mouse fetal lung epithelial differentiation**
Hiroki Kameyama (Kumamoto, Japan)
- P1-83 Lung progenitor cell's niches histochemistry in idiopathic interstitial pneumonias and sarcoidosis**
Evguenia A. Kogan (Moscow, Russia)
- P1-84 The characterization of recovery process of alveoli and pulmonary microcirculation in the injured developing lung**
Hidehiko Nakanishi (Tokyo, Japan)

POSTERS

Poster 2: August 28, 2012

Fluorescence microscopy

- P2-1 Alteration in expression of calcium-binding proteins and somatostatin in rat brain with focal cortical compression**
Rui Furutani (Tokyo, Japan)
- P2-2 Immunohistochemical localization of *myo*-inositol transporters, HMIT and SMIT1, in the lateral wall of the rat cochlea**
Midori Edamatsu (Okayama, Japan)
- P2-3 Fc gamma receptor IIb (FCGR2B) plays an important role in IgG trafficking of human placental endothelial cells**
Toshihiro Takizawa (Tokyo, Japan)
- P2-4 Direct evidence of glucose uptake in strial marginal cells of the cochlea: Application of a fluorescent tracer method combined with immunohistochemistry**
Sohta Hishikawa (Okayama, Japan)
- P2-5 Electrical stimulation accelerate neuromuscular junction formation in vitro**
Takahiro Fukazawa (Hiroshima, Japan)
- P2-6 Intracellular calcium ion concentration measurement using a phase-resolved fluorescence lifetime method with compensation for error due to protein in a cell**
Wataru Inami (Hamamatsu, Japan)
- P2-7 Analysis on spatio-temporal distribution of platelets in cutaneous inflamed sites of mouse contact dermatitis**
Junko Daito (Kyoto, Japan)

New fluorescent markers

- P2-8 Quantum dot nanocrystal immunocytochemical labeling of somatostatin in somatostatinoma**
Murray C. Killingsworth (Liverpool, Australia)
- P2-9 Preparation of novel multifunctional fluorescent nanoprobe using organosilica particles technology**
Michihiro Nakamura (Tokushima, Japan)

New optical microscopy

- P2-10 Imaging fully hydrated whole cells by coherent X-ray diffraction microscopy**
Daewoong Nam (Sayo, Japan)
- P2-11 Two-photon excitation-induced photoacoustic microscopy (TP-PAM) using infrared pulse laser to investigate small vascular structures in living tissues**
Yoshihisa Yamaoka (Kyoto, Japan)
- P2-12 High resolution and real-time imaging for wet cell and tissue using a newly developed AFM combined with an inverted optical microscope**
Shuich Ito (Hachioji, Japan)
- P2-13 pH measurement for mitochondrial activity evaluation using fluorescent ratiometry by two-photon absorption**
Yasuaki Kanazashi (Koganei, Japan)

Vibrational microscopy

- P2-14 Fast spectral CARS microscopy with high-speed tunable picosecond laser for detection of lipid metabolism**
Harsono Cahyadi (Toyonaka, Japan)
- P2-15 Label-free Raman imaging of cytochrome c in cell apoptosis**
Masaya Okada (Suita, Japan)
- P2-16 Label-free identification of peripheral nerves by Raman microscopy**
Takeo Minamikawa (Kyoto, Japan)

POSTERS

Poster 2: August 28, 2012

- P2-17 Raman microscopy for distinguishing between triglyceride deposit cardiomyovascuopathy and ischemic cardiomyopathy**
Naokazu Matsumura (Toyonaka, Japan)
- P2-18 Sum frequency generation spectroscopy and microscopy of cellulose fibers**
Goro Mizutani (Nomi, Japan)
- P2-19 Detection of hyperacute ischemic change of rat hearts with surfaced enhanced Raman microspectroscopy**
Tsunehisa Yamamoto (Kyoto, Japan)

Electron microscopy

- P2-20 Controlling morphologies of flower-like hexagonal prisms and hexagonal pyramids ZnO microstructures by microwave radiation method**
Anukorn Phuruangrat (Songkhla, Thailand)
- P2-21 Ultrasonic-assisted solution synthesis and optical properties of ZnO with different morphologies**
Anukorn Phuruangrat (Songkhla, Thailand)
- P2-22 Facile hydrothermal synthesis and optical properties of monoclinic CePO₄ nanowires with highly aspect ratio**
Anukorn Phuruangrat (Songkhla, Thailand)
- P2-23 Detection of adhesion molecules and apoptotic cells in varicose veins wall**
Marina Aunapuu (Tartu, Estonia)
- P2-24 The ultrastructural investigation of the biofilm formation in children with adenoid vegetation and serous otitis media**
Ilknur Dag (Eskisehir, Turkey)
- P2-25 Improving the quality of cryostat section with sub-freezing point fixation and super fast EM embedding with visio bond**
Johnson Gao (Garland, USA)
- P2-26 Ionic liquid enables simple and rapid sample preparation of human culturing cells for scanning electron microscope (SEM) analysis**
Yasuhito Ishigaki (Kahoku, Japan)
- P2-27 Cryo-electron tomography of FIB-milled synaptic structures**
Yoshiyuki Fukuda (Martinsried, Germany)
- P2-28 A spider toxin binds not only to living tissue but also to fixed tissue**
Setsuko Nakanishi (Okinawa, Japan)

Quantitative histochemistry and cytochemistry

- P2-29 Immunolocalization of claudin-15 in the duodenum of lactating rats: Possible role in duodenal calcium hyperabsorption**
Kannikar Wongdee (Chonburi, Thailand)
- P2-30 Histological and immunohistochemical studies of the effects of liquid diet feeding on rat palatine glands**
Fumihiko Yuge (Sapporo, Japan)
- P2-31 Nano-gold assembled agarose-gelatin micro-beads could deliver more than 120,000 polypeptide molecules into a single cultured cell**
Catherine Gao (Garland, USA)
- P2-32 The role of MMF in the renal ischemia-reperfusion of rat**
Cihan Demirci-Tansel (Istanbul, Turkey)
- P2-33 Protective role of Tempol in renal ischemia-reperfusion in rats**
Aslı Kandil (Istanbul, Turkey)
- P2-34 Semiquantification of apoptotic cells death of using the internal thoracic artery in coronary artery bypass grafting (CABG)**
Süheyla Gonca (Kocaeli, Turkey)

POSTERS

Poster 2: August 28, 2012

- P2-35 Apoptotic index of harvesting the saphenous vein for coronary artery bypass grafting (CABG)**
Süheyla Gonca (Kocaeli, Turkey)

Mass spectrometry

- P2-36 Development of a Digital Ion Trap (DIT) mass spectrometer for gas phase scattering experiments at SACLA**
Marcus Gallagher-Jones (Sayo, Japan)
- P2-37 Comparative proteomic analysis of primary Schwann cells and a spontaneously immortalized Schwann cell line RSC 96: a comprehensive overview with a focus on cell adhesion and migration related proteins**
Yuhua Ji (Nantong, China)

in vivo imaging

- P2-38 In vivo multi-photon molecular imaging technique visualizes parenchymal and interstitial cell cross-talks in adult common and chronic inflammatory disease**
Satoshi Nishimura (Tokyo, Japan)
- P2-39 In vivo detection of the extent of mucosal damage in experimental colitis in rats**
Mihály Boros (Szeged, Hungary)
- P2-40 Dielectric constant imaging by millimeter-wave metamaterial with scanning noninvasive probe**
Osamu Sakai (Kyoto, Japan)
- P2-41 Engraftment study of human bone marrow-mesenchymal stromal cells after transplantation into acutely injured rat spinal cord**
Masro Mohamad (Selangor, Malaysia)
- P2-42 Histochemical visualization of ¹⁸F-FDG, the most common PET tracer, by microautoradiography combined with immunohistochemistry**
Masanori Yamato (Kobe, Japan)
- P2-43 Bioluminescent imaging of hepatic caspase-3 activity in mice**
Sanae Haga (Sapporo, Japan)

Lipids and lipid structures

- P2-44 Oxidized diacylglycerol promotes acute hepatic injury induced by carbon tetrachloride through the activation of PKC-NF- κ B pathway**
Kentaro Toriumi (Isehara, Japan)
- P2-45 Essential role of hormone-sensitive lipase (HSL) in the maintenance of lipid storage in *Mycobacterium leprae*-infected macrophages.**
Kazunari Tanigawa (Higashimurayama, Japan)
- P2-46 Analysis of tissue distribution of diacylglycerol kinase theta**
Shuji Ueda (Kobe, Japan)

Immune system

- P2-47 Cellular microenvironment characterized by macrophages and dendritic cells population in nasopharyngeal lymphomas**
Kazuhsa Hasui (Kagoshima, Japan)
- P2-48 Induction of hemal node like structures in mice**
Hirotada Otsuka (Tokyo, Japan)
- P2-49 anti-GSTT1 IgG-k gammopathy in liver transplant**
Olga Ferrer-Roca (Canary Islands, Spain)
- P2-50 Conditional HLA-B27 ligands to identify viral-specific T cell clones**
Alexey Kotlobay (Moscow, Russia)
- P2-51 The distribution of T lymphocytes, B lymphocytes and dendritic-like cells of the lymphatic organ in the laboratory shrew, *Suncus murinus***
Kazuyoshi Sakai (Toyoake, Japan)

POSTERS

Poster 2: August 28, 2012

- P2-52 Immunological features of liver leukocytic infiltrate under immunosuppression caused by viral hepatitis**
Elvina V. Pudilova (Perm, Russia)
- P2-53 Histochemical characteristics of dendritic cells generated from liver stem cells of embryos and newborn mice**
Elvina V. Pudilova (Perm, Russia)
- P2-54 Immunohistochemical characteristic of leukocytes infiltrates in different regions of mice liver with metastatic tumor process**
Elvina V. Pudilova (Perm, Russia)

Cardiovascular system

- P2-55 EphA2 expressed along with the differentiation of HL60 into monocyte/macrophage promotes adhesion to the matrix surface**
Midori Mukai (Izumisano, Japan)
- P2-56 EphA/Ephrin-A signaling may control the transendothelial migration of monocytes/macrophages**
Noritaka Saeki (Izumisano, Japan)
- P2-57 The effect of pressure on capillary closure in the rat abdominal wall**
Seiichi Kawamata (Hiroshima, Japan)
- P2-58 Histochemical demonstration of lymphatic vessels in zebrafish**
Hiroshi Shimoda (Hirosaki, Japan)
- P2-59 Angiopoietin-1 promotes LYVE-1-positive lymphatic vessel formation**
Tohru Morisada (Tokyo, Japan)
- P2-60 Immunocytochemical analysis of using the saphenous vein harvest methods during a coronary artery bypass grafting (CABG)**
Süheyla Gonca (Kocaeli, Turkey)
- P2-61 Intimal thickening of the coronary artery in chronic phase of Kawasaki disease model rabbits - References to alpha-SMA-positive cells -**
Maiko Fujii (Kyoto, Japan)
- P2-62 Does deletion of connexin 43 in myofibroblasts retard healing of myocardial infarction?**
Emi Hashimoto (Kyoto, Japan)
- P2-63 Contraction-band necrosis is caused by deletion of beta-dystroglycan in rat injured hearts - a histochemical study -**
Hideo Tanaka (Kyoto, Japan)
- P2-64 Functional heterocellular gap-junctional coupling between cardiomyocytes and myofibroblasts in the border zone of rat myocardial infarct**
Hideo Tanaka (Kyoto, Japan)
- P2-65 Generation of reentrant arrhythmias in cultured myocyte monolayers by porous membrane-mediated gap-junction coupling with myofibroblasts**
Tetsuya Adachi (Kyoto, Japan)
- P2-66 Melatonin and obesity-associated cardiovascular alterations**
Rita Rezzani (Brescia, Italy)
- P2-67 Silic acid in drinking water modulates nitric oxide and aquaporin in vessels**
Luigi Fabrizio Rodella (Brescia, Italy)
- P2-68 Long-range influence of cross-bridges on actin structure**
John Robinson (Brookings, USA)
- P2-69 Intrinsic histological basis for the preferential reentrant excitation of atrial fibrillation/flutter in rat hearts**
Taka-aki Matsuyama (Suita, Japan)

Gastrointestinal system

- P2-70 Studies on the submandibular gland of androgen receptor- deficient mice**
Kannika Adthapanyawanich (Kanazawa, Japan)

POSTERS

Poster 2: August 28, 2012

- P2-71 Protease-activated receptor 2 performs the protein secretion through the phosphorylation of CAMK II in rat parotid gland acinar cells**
Tomoyuki Saino (Morioka, Japan)
- P2-72 Evaluation of acid phosphatase, alkaline phosphatase and esterase activities in the gastrointestinal tract of the giant freshwater prawn, *macrobrachium rosenbergii***
Noppakun Pakdeenarong (Maha Sarakham, Thailand)
- P2-73 EphB2 and Ephrin-B1 expression in the boundary between the glandular and nonglandular epithelium of the rodent stomach**
Kazushige Ogawa (Izumisano, Japan)
- P2-74 Autophagic degeneration and subsequent exfoliation of gastric pit-parietal cells into the gastric lumen associated with a stimulation of acid-secretion: an *in vitro* study observed in isolated rat gastric mucosa model**
Fumiyo Aoyama (Miyazaki, Japan)
- P2-75 Fluorescence laparoscopic diagnosis of peritoneal disseminations using 5-aminolevulinic acid in advanced gastric cancer patients**
Ysutoshi Murayama (Kyoto, Japan)
- P2-76 Ubiquitin ligase HRD1 expression in the mouse intestine**
Shin-ichiro Hino (Miyazaki, Japan)
- P2-77 Interstitial cells of Cajal in c-Kit signal deficient W-sash mutant mice**
Satoshi Iino (Fukui, Japan)
- P2-78 Musashi1 expression in paneth cells and enteroendocrine cells of the small intestine**
Shinshichi Hamada (Otsu, Japan)
- P2-79 Immunohistochemical study on the interstitial cells of Cajal in adenoma regions of the small intestine in *Apc^{Min/+}* mice**
Sachiko Miyamoto-Kikuta (Tokyo, Japan)
- P2-80 Immunolocalization of calcium-sensing receptor in the rat colon and its possible role in the colonic calcium absorption**
Narattaphol Charoenphandhu (Bangkok, Thailand)
- P2-81 Estrogen regulates NHE3 expression via estrogen receptor β in proximal colon of pregnant mice**
Narantsog Choijookhuu (Miyazaki, Japan)
- P2-82 Connexin43 expression by interstitial cells of Cajal in the submucosal layer of the guinea-pig proximal colon**
Kazuhide Horiguchi (Fukui, Japan)
- P2-83 Mucosal layer is an important source of rat colonic autofluorescence observed under UVA/violet light excitation**
Keimei Nakano (Kyoto, Japan)
- P2-84 Neuro-transformation of activated rat hepatic stellate cells: A comparative proteomic study**
Ji Juling (Nantong, China)
- P2-85 Promotion of Cx32 expression and gap junction formation in the hepatocyte line by the 3D culture using a porous scaffold**
Yuta Hayashi (Izumisano, Japan)
- P2-86 Immunohistochemical and biochemical analysis of the ghrelin administration in diabetic rat liver**
Meral Koyuturk (Istanbul, Turkey)
- P2-87 Establishment of cell line derived from hepatoid adenocarcinoma of the ampulla of Vater**
Nobuyasu Takahashi (Miyazaki, Japan)
- P2-88 The overexpression of Grp75/mthsp70/PBP74/mortalin inhibit liver injury induced by oxidative damage factor**
Wen Liu (Shanghai, China)
- P2-89 Localization of zinc transporters and chelatable zinc in pancreatic exocrine cells**
Toru Noda (Ibaraki, Japan)

Regenerative medicine

- P2-90 Evaluation of rat subcutaneous tissue response to a porous scaffold made from collagen and liposomes coated with plant derived polysaccharide**
Otilia Zarnescu (Bucharest, Romania)
- P2-91 Effect of in vivo over-expression of KGF on the histology of middle ear cholesteatoma**
Tomomi Yamamoto-Fukuda (Nagasaki, Japan)
- P2-92 Evaluation of *in situ* tissue engineering for mucosal regeneration of rat middle ear**
Naotaro Akiyama (Nagasaki, Japan)
- P2-93 Novel experimental model for periodontitis and effects of protamine-reduced peptide for experimental periodontitis analyzed by micro-computerized tomography**
Hitoshi Yamamoto (Matsudo, Japan)
- P2-94 Oxytocin protects against ischemia/reperfusion injury in urinary bladder**
Deniz Yucel (Istanbul, Turkey)
- P2-95 TGF- β signaling regulates proliferative activity of neonatal cardiomyocytes**
Hitoshi Hino (Kyoto, Japan)
- P2-96 TGF- β signaling regulates pancreatic β -cell proliferation through control of cell cycle regulator p27 expression**
Tomoyuki Suzuki (Kyoto, Japan)

POSTERS

Poster 3: August 29, 2012

in situ hybridization

- P3-1 Cellular localization of microRNAs in paraffin embedded sections by in situ hybridization with nonradioactive oligo-DNA probes**
Daisuke Endo (Nagasaki, Japan)

Immunohistochemical techniques

- P3-2 Hope for Omics: A comprehensive approach for biomarker discovery**
Sebastian Marwitz (Borstel, Germany)
- P3-3 Double immunolabeling of CD146 and MAP1B expressing stem cell-like cells in rat dental pulp and periodontal ligament**
Yusuke Yamanaka (Niigata, Japan)
- P3-4 Immuno-laser capture microdissection analysis of dental pulp macrophages in a whole-tooth culture model**
Uraivan Chokechanachaisakul (Tokyo, Japan)
- P3-5 Immunohistochemical analyses of serum proteins in puromycin aminonucleoside nephrosis of living rat kidneys by “in vivo cryotechnique ”**
Eri Kawashima (Chuo, Japan)
- P3-6 *In vivo* reaction of macrophage-associated antigen-expressing cells to dental biomaterials: A double-labeling immunohistochemical evaluation**
Takafumi Ito (Niigata, Japan)
- P3-7 Gao's Portable Mini Chamber (Gao's PMC) designed for immunohistochemical and immunocytochemical staining**
Raymond Gao (Garland, USA)
- P3-8 Effect of starvation and salivary stimulation on aquaporin-5 expression in rat salivary glands**
Taketo Susa (Maebashi, Japan)
- P3-9 The effect of tissue temperature on capillary opening and closing in the rat abdominal wall**
Tomoyuki Kurose (Hiroshima, Japan)
- P3-10 Standardized post-embedding procedures for immunoelectron microscopy**
Shuji Yamashita (Tokyo, Japan)
- P3-11 Superoxide dismutases (SOD-1 and SOD-2) in porcine endometrium: Immunohistochemical assessment**
Barbara Wasowska (Olsztyn, Poland)
- P3-12 The effect of recombinant human erythropoietin (rHuEPO) pretreatment on the liver and kidney in PTZ-induced epileptic seizures**
Kadriye Akgün-Dar (Istanbul, Turkey)
- P3-13 The effects of zinc on metallothionein expression in diabetic nephropathy**
Melek Öztürk (Istanbul, Turkey)
- P3-14 14th Kyoto International Congress may bring fortune to immunocytochemistry, should water-soluble peg embedding method be promoted**
Johnson Gao (Garland, USA)

Live cell imaging

- P3-15 Metabolic mapping by (quantitative) enzyme histochemistry**
Cornelis J.F. Van Noorden (Amsterdam, The Netherlands)
- P3-16 "RaPID" development of macrocyclic peptides for on-cell imaging of c-Met**
Kenichiro Ito (Tokyo, Japan)
- P3-17 Live cell imaging analysis of nuclear mobility of ER α : Effect of SAFB1/2 corepressors**
Takashi Hashimoto (Kashihara, Japan)

POSTERS

Poster 3: August 29, 2012

- P3-18 Intracellular signaling related to acid secretion in gastric parietal cells identified by acridine orange staining and immunostaining**
Yasuko Fukushi (Hamamatsu, Japan)
- P3-19 Wide field of view spinning disk confocal scanner**
Takuya Azuma (Kanazawa, Japan)

Proteomics and histochemistry

- P3-20 Immunohistochemical localization of an isoform of rat TRK-fused gene-like protein in the rat retina**
Chiaki Masuda (Otsu, Japan)
- P3-21 Detection of O-GlcNAcylated proteins by glycoproteomics and in situ proximity ligation assay (PLA)**
Yoshihiro Akimoto (Tokyo, Japan)
- P3-22 Proteomic identification of oxidatively damaged proteins in excitotoxin-induced hippocampal injury**
Ayako Furukawa (Suzuka, Japan)
- P3-23 The molecular regulation of differentiation, proliferation and highly malignancy character of small cell lung cancer by proteomic analysis of post-translational modification**
Kanao Niimori-Kita (Kumamoto, Japan)
- P3-24 CAXII is a sero-diagnostic marker for lung cancer**
Makoto Kobayashi (Sagamihara, Japan)

Cytoskeleton

- P3-25 Smooth muscle actin in hair, vibrissa and arrector pili muscle of developing rats**
Kiyokazu Morioka (Tokyo, Japan)
- P3-26 Aberrant activation of aPKC induces a disturbance of cell polarity by CCl₄-mediated oxidative stress**
Yosuke Horikoshi (Yonago, Japan)
- P3-27 Microtubules involvement in the barrier-protective mechanisms**
Irina Alieva (Moscow, Russia)

Membrane

- P3-28 Indoxyl sulfate induces JNK-mediated downregulation of connexin 43 in neonatal cultured cardiomyocytes**
Ying Chen, Seu-Mei Wang (Taipei, Taiwan)
- P3-29 Differential expression of VAMP5 in muscular tissues**
Maiko Takahashi (Maebashi, Japan)
- P3-30 AQP2 retention in the apical membrane is related with membrane microdomain component**
Takeo Aoki (Maebashi, Japan)
- P3-31 Effects of vasopressin stimulation on AQP2-phosphorylation and its subcellular distribution**
Kinue Shimizu (Maebashi, Japan)
- P3-32 Phosphorylation of AQP2 and subcellular distribution in vasopressin-deficient rats**
Toshiyuki Matsuzaki (Maebashi, Japan)
- P3-33 Expression of connexin 32 and localization of claudin-1 and alkaline phosphatase in rat hepatocytes during cell differentiation and proliferation**
Kohsuke Chida (Sagamihara, Japan)
- P3-34 Effect of antofine on connexin43 gap junction intercellular communication in rat astrocytes**
Yu-Fang Huang (Taipei, Taiwan)
- P3-35 Increase in clathrin-dependent endocytosis of claudin-2 by epidermal growth factor**
Akira Ikari (Shizuoka, Japan)

POSTERS

Poster 3: August 29, 2012

Organelles

- P3-36 Immuno-electronmicroscopic study for newly-formed Golgi apparatus in rat parotid acinar cell**
Hideaki Tamaki (Sagamihara, Japan)

Neurobiology

- P3-37 Involvement of Src to membrane skeletal complex, MPP6-4.1G, in Schmidt-Lanterman incisures of mouse myelinated nerve fibers in PNS**
Nobuo Terada (Matsumoto, Japan)
- P3-38 Molecular analyses of the development of the spinal nerve in the higher vertebrate embryo**
Tomoyuki Masuda (Shimotsuga, Japan)
- P3-39 Histochemical demonstration of Sox2 and cell-markers in sensory nervous system**
Taro Koike (Moriguchi, Japan)
- P3-40 Immunoelectron microscopic study of N-cadherin in the mechanoreceptors of human skin**
Toshiyuki Kaidoh (Yonago, Japan)
- P3-41 Signal flow and pathways in response to early Wallerian degeneration after rat sciatic nerve injury**
Dengbing Yao (Jiangsu, China)
- P3-42 The effect of beta amyloid treatment on glia derived neurotrophic factor in cortical neurons**
Selma Yilmazer (Istanbul, Turkey)
- P3-43 Cu/Zn superoxide dismutase, transforming growth factor- β 1 and matrix metalloproteinase-9 (MMP-9) immunoexpression in cerebral cortex and subcortex regions in alcoholics**
Sandra Skuja (Riga, Latvia)
- P3-44 Adenosin A_{2A}R-expressing neurons in the mouse nucleus accumbens: Morphology, neurochemical properties, and efferent projections**
Rui-Xi Li (Shanghai, China)
- P3-45 Developmental changes in intrinsic properties of neurons in rat primary auditory cortex**
Ying Xiong (Chongqing, China)
- P3-46 The effect of vitamin D receptor gene silencing on L type calcium channels alpha 1 C in hippocampal neurons**
Turgut Ulutin (Istanbul, Turkey)
- P3-47 Change in steroidogenic enzymes expression in the rat hippocampus after ovariectomy**
Koji Ono (Tokushima, Japan)
- P3-48 Immunohistochemical demonstration of enhanced prostaglandin F_{2 α} production following kainic acid-induced seizures in rat hippocampus**
Shiro Takei (Kasugai, Japan)
- P3-49 Testosterone regulates hippocampal dendritic spine morphology by enhancing brain-derived neurotrophic factor (BDNF) expression level**
Meihua Li (Kyoto, Japan)
- P3-50 Immunohistochemical study of corticotropin-releasing factor receptor and glucocorticoid receptor in kisspeptin neurons in rat hypothalamus**
Ken Takumi (Tokyo, Japan)
- P3-51 The general anesthetic sevoflurane represses the expression of clock gene *mPer2* through histone deacetylation in the suprachiasmatic nucleus of mice**
Keisuke Mori (Tokyo, Japan)
- P3-52 A non-mammalian type opsin 5 functions dually in the photoreceptive and non-photoreceptive organs of birds**
Hideyo Ohuchi (Okayama, Japan)
- P3-53 Developmental expression of a novel neuropeptide, manserin, in the rat cochlea**
Michiru Ida-Eto (Tsu, Japan)
- P3-54 Correlative light and electron microscopy to unravel the secrets of astrocytes**
Bruno M. Humbel (Lausanne, Switzerland)

POSTERS

Poster 3: August 29, 2012

- P3-55 Progesterone alleviates myelin breakdown with reduced degeneration of oligodendroglial cells and neural behavioral deficits of cuprizone-treated mouse**
Xing-shu Chen (Chongqing, China)
- P3-56 The effect of estrogen on astrocytes in the rat brainstem**
Shunji Yamada (Kyoto, Japan)
- P3-57 Expression and function of the G protein-coupled receptor 30 in oligodendrocyte**
Yukie Hirahara (Moriguchi, Japan)
- P3-58 RyR3-mediated calcium release modulated the morphological and functional maturation in developmental oligodendrocytes**
Hongli Li (Chongqing, China)
- P3-59 Synaptotagmin 17 expressing in C6 glioma cells**
Atsuko Fujioka (Osakasayama, Japan)
- P3-60 Nociceptive stimulation induces satellite glial cell activation via VNUT**
Kaori Gunjigake (Kitakyushu, Japan)
- P3-61 Cellular distribution of TNF type 1 and type 2 receptor proteins in relation to upregulation of TNF-alpha in the dorsal root ganglia of rat neuropathic pain model**
Petr Dubový (Brno, Czech Republic)
- P3-62 Change of the guanine nucleotide-binding protein in lamina I-III of spinal cord of rats after electroacupuncture**
Zhao-hong Deng (Shiyan, China)
- P3-63 Disorder of calcium homeostasis induced endoplasmic reticulum-dependent apoptosis in hippocampus in the rat model of post-traumatic stress disorder**
Yuxiu Shi (Shenyang, China)
- P3-64 Brain regions activated by menthol application to mice skin**
Hiroshi Yamakuni (Osaka, Japan)
- P3-65 TRIF deficiency promotes retinal ganglion cell survival and axon regeneration via nuclear factor-kappa B**
Sen Lin (Chengdu, China)
- P3-66 Alterations of dopamine transporter expression in the mouse brain after traumatic brain injury**
Ryo Shimada (Tokyo, Japan)
- P3-67 Dynamic changes of IL-6 mRNA and protein levels in dorsal root ganglia non-associated with unilateral chronic compression injury**
Václav Brázda (Brno, Czech Republic)
- P3-68 Glial functions of Rho-family small GTPases during cerebellar development and after CNS injury**
Takehiko Ueyama (Kobe, Japan)
- P3-69 Amyloid plaques in kuru, a disease spread by ritual endocannibalism. Immunohistochemical, ultrastructural and confocal laser microscopic analysis**
Beata Sikorska (Lodz, Poland)
- P3-70 XIAP is localized in inclusion bodies in ALS**
Masahiro Nagao (Fuchu, Japan)
- P3-71 Mutant Huntingtin's interaction with mitochondrial protein Drp1 impairs mitochondrial biogenesis and causes defective axonal transport and synaptic degeneration in Huntington's disease**
Ulziibat Person Shirendeb (Beaverton, USA)
- P3-72 Trans-postpyramidal fissure approach for ventral vermian hemangioma**
Hiroshi Nakaguchi (Ichihara, Japan)
- P3-73 Immunohistochemical mapping of Tgf proteins in the rat brainstem**
Shigeiko Takeuchi (Otsu, Japan)
- P3-74 Different expression patterns of cathepsin C/dipeptidyl peptidase I in normal, pathological and aged central nervous system of mice**
Masato Koike (Tokyo, Japan)

POSTERS

Poster 3: August 29, 2012

- P3-75 Immunohistochemical localization of the GTP cyclohydrolase feedback regulatory protein (GFRP) in the rat brainstem**
Jean-Pierre Bellier (Otsu, Japan)
- P3-76 Increased activity of tyrosine hydroxylase in tuberofundibular dopaminergic neurons by kisspeptin in female rat brain**
Nobuhiko Sawai (Maebashi, Japan)
- P3-77 Calcium-responsive transcription coactivator (CREST) promotes neuroblastoma cell differentiation**
Zhenzhen Jin (Wuhan, China)

Cytopathology

- P3-78 Intraocular perfusion and vitreous humor fluid cytology is the best tool for diagnosis of intraocular lymphoma**
Yuichi Kinoshita (Moriguchi, Japan)
- P3-79 Differential expression patterns of α -synuclein in vivo and in vitro**
Katsutoshi Taguchi (Kyoto, Japan)
- P3-80 Image cytometry**
Cornelis J.F. Van Noorden (Amsterdam, The Netherlands)
- P3-81 Protein kinases and protein phosphatases in bone formation and bone resorption**
Tatsuji Haneji (Tokushima, Japan)
- P3-82 High-grade cervical intraepithelial neoplasia shows etiological dominance of HPV16**
Nafisa M. Fayzullina (Moscow, Russia)
- P3-83 P16(INK4a) and Ki67 immunocytochemistry after ASCUS cytology to be clinically useful in gynecological pathology**
Nafisa M. Fayzullina (Moscow, Russia)

Diagnostic pathology

- P3-84 A new imaging method in 5-ALA-induced photodynamic diagnosis based on light-induced spectral change of PpIX**
Noriaki Koizumi (Kyoto, Japan)
- P3-85 Cytochrome oxidase activity is a good marker of diagnostic in heart disease**
Tadashi Ueda (Ishikawa, Japan)
- P3-86 Immunofluorescence on paraffin sections: A useful tool for differential diagnosis of non-neoplastic kidney diseases**
Alena Lodererova (Prague, Czech Republic)
- P3-87 A novel method of connective tissue stain by Sirius Red demonstrating quantitative and qualitative advantages**
Izumi Nogi (Sendai, Japan)